

SILICONE FREE

## Silicone Free Coalescing Filters

Models | SF0006 to SF1500

Flow Rates 6 SCFM (10 Nm<sup>3</sup>/hr) to 1500 SCFM (2550 Nm<sup>3</sup>/hr)

Our Silicone Free Filters provide exceptional air quality for applications, such as paint spraying and automotive, where silicone free air is required to protect your end products.

Utilising market leading Alpha filtration performance, our silicone-free range of compressed air and gas filters is manufactured and tested in a controlled environment that ensures silicone is not present on the components used, or introduced into the production process.

Designed with flow optimisation in mind, the Alpha Silicone Free Coalescing Filters deliver exceptional results in oil aerosol and particle retention, removing particles down to 0.01 micron in line with air quality standard ISO 8573-1: 2010. Featuring custom engineered Alpha filter media, the Alpha Silicone Free Filter provides a saturated differential pressure of <125 mbar across X1and XA grades.



NEW Modular Filter Low cost connecting kits and new filter head design enables easy close coupling assembly



Silicone Free Manufacturing Manufactured in a controlled environment to ensure silicone is not present or introduced during the production process



NEW Filtration Technology Alpha deep pleated media technology delivers a step change in performance

- Market Leading Performance Custom engineered filtration media delivers optimum performance in line with air quality standard ISO 8573-1: 2010, and significantly reduced pressure loss of <125 mbar across X1 and XA grades</li>
- Improved Operational Efficiencies Deliver improved production and operational efficiencies in your industrial paint plant with market leading silicone-free filtration technology
- Simplified Serviceability Externally accessible drain, profiled bowl design, and unique push fit elements ensure quick and reliable maintenance
- Flow-Optimised Design Advanced filter head design for optimised flow performance
- Flexible Installation Modular design and accessible fixings enable simple close coupling assembly
- Corrosion Protection Internal and external electrophoretic paint finish followed by a tough exterior polyester powder coating
- Product Safety in Mind Guaranteed safe housing closure with rotational safety stop



Differential pressure of <125 mbar across X1 and XA grades





## **Technical Specification**

Filter model	Pipe size inches	Inlet flow rate*			Dimens	ions mm	Weight Kg	Element model		
		Nm³/hr SCFM		Α	В	С	C D			
SF0006 (grade)	1/8	10	6	50	17	157	60	0.3	ESF0306	
SF0015 (grade)	1/4	25	15	50	17	157	60	0.3	ESF0306	
SF0025 (grade)	1/4	42	25	70	23	231	70	0.6	ESF0408	
SF0032 (grade)	3/8	54	32	70	23	231	70	0.6	ESF0408	
SF0050 (grade)	1/2	85	50	70	23	231	70	0.6	ESF0412	
SF0070 (grade)	1/2	119	70	127	32	285	80	1.7	ESF0612	
SF0085 (grade)	3/4	144	85	127	32	285	80	1.7	ESF0612	
SF0105 (grade)	1	178	105	127	32	285	80	1.7	ESF0612	
SF0125 (grade)	3/4	212	125	127	32	370	80	2.0	ESF0621	
SF0175 (grade)	1	297	175	127	32	370	80	2.0	ESF0621	
SF0280 (grade)	11/4	476	280	140	41	476	85	3.0	ESF0731	
SF0320 (grade)	11/2	544	320	140	41	476	85	3.0	ESF0731	
SF0400 (grade)	11/2	680	400	170	53	508	100	4.9	ESF0831	
SF0450 (grade)	2	765	450	170	53	508	100	4.9	ESF0831	
SF0700 (grade)	2	1189	700	170	53	708	100	5.5	ESF0850	
SF0850 (grade)	21/2	1444	850	220	70	736	100	10.5	ESF1140	
SF0900 (grade)	3	1529	900	220	70	736	100	10.5	ESF1140	
SF1250 (grade)	3	2125	1250	220	70	857	100	11.5	ESF1160	
SF1500 (grade)	3	2550	1500	220	70	1005	100	12.5	ESF1175	

<sup>\*</sup> Rated flow at 7 barg, reference conditions 1 bar (a) 20°C

						- Italic	a now at 7 bi	arg, reference	c conditions i	bui (u) 20 1
Grade	X25		X5		X1		XA		AC	
Particle removal	25 micron		5 micron		1 micron		0.01 micron		0.01 micron	
Maximum particle size class**	-		4		3		1		1	
Maximum oil content***	-		4		3		1		1	
Maximum oil carryover at 20°C (68°F)	10 mg/m <sup>3</sup>		5 mg/m <sup>3</sup>		0.3 mg/m <sup>3</sup>		0.01 mg/m <sup>3</sup>		0.003 mg/m <sup>3</sup>	
Pressure loss - clean & dry	30 mbar	0.4 psi	40 mbar	0.6 psi	55 mbar	0.8 psi	85 mbar	1.2 psi	115 mbar	1.7 psi
Pressure loss - saturated	50 mbar	0.7 psi	75 mbar	1.1 psi	125 mbar	1.8 psi	125 mbar	1.8 psi	N/A	N/A
Pressure loss - element change	12 mths	8000 hrs	12 mths	8000 hrs	12 mths	8000 hrs	12 mths	8000 hrs	at least every 6 months	
Maximum temperature	80°C	176°F	80°C	176°F	80°C	176°F	80°C	176°F	50°C***	122°F***
Max working pressure - Automatic Drain Valve	16 barg	232 psig	16 barg	232 psig	16 barg	232 psig	16 barg	232 psig	16 barg	232 psig
Max working pressure - Manual Drain Valve	20 barg	300 psig	20 barg	300 psig	20 barg	300 psig	20 barg	300 psig	20 barg	300 psig
Element end cap colour					Bla	rk				

\*\* to ISO 8573-1: 2010

\*\*\* Maximum recommended operating temperature 25°C (77°F)

Pressure correction factors for maximum flow rate, multiply model flow rate by the correction factor corresponding to the minimum operating									ting pressure	
Operating pressure barg (psig)	4 (58)	5 (72)	6 (87)	7 (100)	8 (115)	10 (145)	12 (174)	14 (203)	16 (232)	20.7 (300)
7 barg - correction factor	0.76	0.84	0.92	1	1.07	1.19	1.31	1.41	1.51	1.73

## 60mm 65DPHR3 65DPIB 28mm D approx. 30mm D approx. SF0006 to SF0070 to SF0050 SF1500

## **Technical Notes**

- Direction of air flow is inside to out through the filter element.
- Pop Up Indicators (65DPUB3) are fitted to models SF0025 to SF0050. Differential Pressure Indicators (65DPIB) are fitted to models SF0070 to SF1500. Activated Carbon (AC) grade filters do not include DP equipment. Volt free contact options are available upon request.
- Coalescing Filters are fitted as standard with normally open float operated Automatic Drain Valves, ADVS16 on models SF0006 to SF0050 and ADVSE16B on models SF0070 to SF1500. Standard filters can operate at 16 barg (232 psig) at 80°C (176°F). Automatic Drain Valves (ADVS16C) are available for low flow applications. 20.7 barg (300 psig) range at 120°C (248°F) available when supplied with a Manual Drain Valve (MDV25 / MDVE25B).
- Activated Carbon Filters must not operate in oil saturated conditions and will not remove certain types of gases including carbon monoxide (CO) and carbon dioxide (CO2).
- Alpha Filters are manufactured from cast aluminium alloy and are PED 2014/68/EU compliant for group 2 gases.
- Threaded connections are Rp (BSP Parallel) to ISO 7-1 or NPT to ANSI/ASME B1.20.1 if supplied within North America. Rc (BSP Taper) to 6.
- For NPT threads, add the suffix N, e.g. SF0070NXA, and for Rc threads add the suffix C e.g. SF0070CXA. 7.
- 8. Filters are suitable for use with mineral and synthetic oils plus oil-free compressed air applications.
- 9. Filter elements should be changed every 12 months / 8000 hours (whichever comes first). Activated Carbon Filter elements should be changed at least every 6 months.
- These filters are manufactured and tested in a controlled environment to ensure that traces of silicone or paint wetting impairment substances (PWIS) are not present on the components used, or unintentionally introduced during the production process. While the product itself does not contain significant traces of such substances, they are not designed to remove pre-existing silicone contaminants from the air stream.









