

## **Spot Cooler and Air Conditioning Configurations**

10,000 BTUH'S to 60,000 BTUH'S CAPACITIES AVAILABLE



INDEX	
SHEET	TITLE
1	COVER PAGE
2	AIR CONDITIONING - SPOT COOLING CONFIGURATION
3	AIR CONDITIONING - ROOM TEMPERATURE CONTROL - DUCTED CONDENSER AIR OUTLET CONFIGURATION
4	AIR CONDITIONING - ROOM TEMPERATURE CONTROL - DUCTED ROOM AIR CONFIGURATION
5	AIR CONDITIONING - ROOM TEMPERATURE CONTROL - DUCTED CONDENSER AIR CONFIGURATION
6	AIR CONDITIONING - ROOM TEMPERATURE CONTROL - DUCTED ROOM AIR & DUCTED CONDENSER AIR CONFIGURATION



AIR CONDITIONING CONFIGURATION COVER PAGE

SHEET 1 OF 6

MANUFACTURED BY:


WELTEM

DRAWING NUMBER:

SHEET:

REV:

-






AIR CONDITIONING SPOT COOLING CONFIGURATION SHEET 2 OF 6

WELTEM

DRAWING NUMBER:

CAG-SCMODE1-CD-DI

A





AIR CONDITIONING ROOM TEMPERATURE CONTROL DUCTED CONDENSER AIR OUTLET CONFIGURATION

SHEET 3 OF 6


WELTEM

DRAWING NUMBER:

CAG-SCMODE2-CD-DI

REV:

A






AIR CONDITIONING
ROOM TEMPERATURE CONTROL
DUCTED ROOM AIR
CONFIGURATION

SHEET 4 OF 6

WELTER

DRAWING NUMBER:

CAG-SCMODE3-CD-DI






AIR CONDITIONING ROOM TEMPERATURE CONTROL DUCTED CONDENSER AIR CONFIGURATION

SHEET 5 OF 6

WELTER

DRAWING NUMBER:

CAG-SCMODE4-CD-DI





AIR CONDITIONING ROOM TEMPERATURE CONTROL DUCTED ROOM AIR & DUCTED CONDENSER AIR CONFIGURATION

MANUFACTURED BY: SHEET: WELTER SHEET 6 OF 6 DRAWING NUMBER: CAG-SCMODE5-CD-DI