



A Division Of CAG Purification Inc.

SERVER ROOM SPOT COOLER / ROOM COOLER



WELTEM

Server Room Spot Cooler / Room Cooler

The Weltem Modular Air conditioner features a multi-function spot cooler / room cooler with various accessories to suit the customers needs.

This unit is ideal to cool computer server rooms and other small areas.

Server Room Spot Cooler / Room Cooler Features



- Automatic trouble shooting feature: Each spot cooler is equipped with a digital controller with a self diagnostic function with adjusting airflow and auto restart. Warning signals are displayed if problems occur allowing for prompt operator response. A remote control option is also available for easy operation and monitoring.



- Weltem portable server room spot coolers / room cooler are highly efficient and provide cool air for hot spots or where central air conditioning is not available such as computer server rooms.




- Durable metal construction with a powder coat paint finish.



- Hot discharge air and cold air ducts are easily attached to accomodate all installations.

- Custom ducts also available



- Each unit includes a properly rated three pronged power plug with a six foot cord and a test and reset button




- Condensate pump is fitted as standard

WELTEM Server Room Spot Cooler From CAG Cooling Solutions

WELTEM Server Room Spot Cooler / room cooler From CAG Cooling Solutions can be used in various configurations as listed below.

- Server rack installation (R-KIT)
- Stacking application (S-KIT)
- Portable application (P-KIT)
- Standard hanging (H-KIT)
- Standard



IT environments • Laboratories • Multi work stations • Equipment spot cooling

Specifications		WMC-2500
Cooling Capacity	BTU ton/kW	10,000 0.8RT / 2.9kW
Power Supply	Hertz	60
	Phase	Single
	Volts	115
Size(WxDxH)	mm	460x599x1024
Weight	kg	72
Current Consumption	Amps	9.5
Power Consumption	kW	1.1
Air Filter material	Cond. Evap.	Alum. Vinylchloride
Refrigerant type		R-410A
Operating Conditions	°C	18-45
Max hot air duct length	m	12
Condensate Pump	Included	1
Cooling Area	m2	25
Number of Cool Air Duct	EA	1
Fan Speeds	Step	2
Pump Capacity	L/hr	120 at 6 meters

OTHER CAG COOLING SOLUTIONS PRODUCTS AVAILABLE FROM STOCK

Air-Cooled Chillers From 1/2 ton to 40 ton



Water Cooled Chillers 10 ton (Modular Design)



**Spot Cooler: Portable
A/C Water Cooled
AC Solutions**

CAG COOLING SOLUTIONS

3770B Laird Road, Mississauga, ON. L5L 0A7

Tel: 800-951-0777 416-937-6403

Fax: 905-820-3490

chillers@cagpurification.com

www.cagcooling.com



**Chilled Water
Quick Connect Piping**